



GPU Teaching Kit

Accelerated Computing




Module 5.1 – Thread Execution Efficiency

Warps and SIMD Hardware

Objective

- To understand how CUDA threads execute on SIMD Hardware
 - Warp partitioning
 - SIMD Hardware
 - Control divergence


Warps as Scheduling Units



- Each block is divided into 32-thread warps
 - An implementation technique, not part of the CUDA programming model
 - Warps are scheduling units in SM
 - Threads in a warp execute in Single Instruction Multiple Data (SIMD) manner
 - The number of threads in a warp may vary in future generations

Warps in Multi-dimensional Thread Blocks

- The thread blocks are first linearized into 1D in row major order
 - In x-dimension first, y-dimension next, and z-dimension last




Blocks are partitioned after linearization

- Linearized thread blocks are partitioned
 - Thread indices within a warp are consecutive and increasing
 - Warp 0 starts with Thread 0
- Partitioning scheme is consistent across devices
 - Thus you can use this knowledge in control flow
 - However, the exact size of warps may change from generation to generation
- DO NOT rely on any ordering within or between warps
 - If there are any dependencies between threads, you must `__syncthreads()` to get correct results (more later).

SMs are SIMD Processors

- Control unit for instruction fetch, decode, and control is shared among multiple processing units
 - Control overhead is minimized (Module 1)



SIMD Execution Among Threads in a Warp

- All threads in a warp must execute the same instruction at any point in time
- This works efficiently if all threads follow the same control flow path
 - All if-then-else statements make the same decision
 - All loops iterate the same number of times

Control Divergence

- Control divergence occurs when threads in a warp take different control flow paths by making different control decisions
 - Some take the then-path and others take the else-path of an if-statement
 - Some threads take different number of loop iterations than others
- The execution of threads taking different paths are serialized in current GPUs
 - The control paths taken by the threads in a warp are traversed one at a time until there is no more.
 - During the execution of each path, all threads taking that path will be executed in parallel
 - The number of different paths can be large when considering nested control flow statements

Control Divergence Examples

- Divergence can arise when branch or loop condition is a function of thread indices
- Example kernel statement with divergence:
 - `if (threadIdx.x > 2) { }`
 - This creates two different control paths for threads in a block
 - Decision granularity < warp size; threads 0, 1 and 2 follow different path than the rest of the threads in the first warp
- Example without divergence:
 - `If (blockIdx.x > 2) { }`
 - Decision granularity is a multiple of blocks size; all threads in any given warp follow the same path

Example: Vector Addition Kernel

Device Code

```
// Compute vector sum  $C = A + B$   
// Each thread performs one pair-wise addition  
  
__global__  
void vecAddKernel(float* A, float* B, float* C,  
    int n)  
{  
    int i = threadIdx.x + blockDim.x * blockIdx.x;  
    if(i < n) C[i] = A[i] + B[i];  
}
```

Analysis for vector size of 1,000 elements

- Assume that block size is 256 threads
 - 8 warps in each block
- All threads in Blocks 0, 1, and 2 are within valid range
 - i values from 0 to 767
 - There are 24 warps in these three blocks, none will have control divergence
- Most warps in Block 3 will not control divergence
 - Threads in the warps 0-6 are all within valid range, thus no control divergence
- One warp in Block 3 will have control divergence
 - Threads with i values 992-999 will all be within valid range
 - Threads with i values of 1000-1023 will be outside valid range
- Effect of serialization on control divergence will be small
 - 1 out of 32 warps has control divergence
 - The impact on performance will likely be less than 3%



GPU Teaching Kit

Accelerated Computing



The GPU Teaching Kit is licensed by NVIDIA and the University of Illinois under the [Creative Commons Attribution-NonCommercial 4.0 International License](https://creativecommons.org/licenses/by-nc/4.0/).